

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	galois and field same linear adj feedback adj shift adj register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 22:16
L2	69	galois and field same linear adj feedback adj shift adj register\$1 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 22:16
L3	72	galois and field same linear adj feedback adj shift adj register\$1 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 22:20
L4	59	galois same field same linear adj feedback adj shift adj register\$1 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 22:26
L5	7	galois same field same linear adj feedback adj shift adj register\$1 and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 22:26
S1	1	"20020026587".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 20:09
S4	161	physical with copy with protect\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 16:12
S5	36	talstra talstra.in.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/04 22:26
S7	14773	eindhoven eindhoven.in.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/04 22:26
S8	118	(eindhoven eindhoven.in.) and watermark\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/04 22:28
S9	0	(eindhoven.in.) and watermark\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/04 22:27
S10	72	(eindhoven) and watermark\$3 not cornelis.in.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/04 22:30

S11	14	"5940134"	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 22:56
S14	23	(jitter\$3 etch\$3 near4 disk) same watermark\$3 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 18:29
S15	201	timmermans.in.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 18:26
S16	1	timmermans.in. and "5737286".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 18:29
S17	26	(wobble) same watermark\$3 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 20:20
S41	15	(wobble) same watermark\$3 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510") not (wobble with watermark\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 20:21
S42	14	(wobble) same watermark\$3 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510") not (wobble with watermark\$3 philips)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 20:21
S43	1	"20020026587".pn. and (physical\$3 logical\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 20:42
S44	1	"5,737,286".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 20:48
S45	322	physical with watermark\$3 not philips	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 20:48
S47	19	(physical with watermark\$3).ab. not philips	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/06 21:39
S49	1	"5940134".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 14:17
S50	1	"20020026587".pn. and (single adj bit)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:45
S51	2	delp and edward and j	EPO; DERWENT	OR	OFF	2005/01/07 15:00

S52	0	(method and data adj hiding and encrypting and carrir adj signal and exclusive\$3)	EPO; DERWENT	OR	OFF	2005/01/07 15:01
S53	0	(method and data adj hiding and encrypting and carrir adj signal and exclusive\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/07 15:01
S54	0	(hiding adj of adj encrypted adj data).ti.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/07 15:02
S55	90	watermark\$3 same (pseudo adj S49 random random) same noise and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:05
S56	4	watermark\$3 same (pseudo adj S49 random random) same noise adj pattern\$1 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:10
S57	2	watermark\$3 same (pseudo adj S49 random random) same noise adj pattern\$1 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510") not philips	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:05
S58	0	"5940134".pn. and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:11
S59	0	"5940134".pn. and enciph\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:12
S60	258	wobble and (encrypt\$3 encipher\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:13
S61	99	wobble and (encrypt\$3 encipher\$3) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 15:13
S62	19	wobble same (encrypt\$3 encipher\$3) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 19:44
S63	14	wobble with (encrypt\$3 encipher\$3) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:15

S67	1	css and partially adj encrypted with redundancy	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:40
S68	9	css and partially adj encrypted	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:40
S69	1	css and partially adj encrypted and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:42
S70	37	dvd and partially adj encrypted and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:42
S71	1	"20020026587".pn. and (galois adj field)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 16:47
S72	1	"20020026587".pn. and (biased)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 17:56
S73	1	"20020026587".pn. and (packs)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 17:56
S74	1	"20020026587".pn. and (pack\$)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 17:57
S75	8	encrypt\$3 with packs and Dvd	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 18:05
S76	2	encrypt\$3 with packs and Dvd and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:15
S77	0	CCS same encrypt\$3 with packs	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 18:07
S78	1	"5247507".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 18:11
S79	587	(encrypt\$3 with pattern) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 19:45
S80	0	(partially with encrypt\$3) same performance same (encrypt\$3 with pattern) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 19:45

S81	2	(partially with encrypt\$3) same performance and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 19:46
S84	644	(encrypt\$3 with performance) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:24
S85	1	CSS same partial with encryption	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 19:51
S86	4	(watermark with encrypt\$3 with pattern\$1) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:18
S87	0	(watermark with encrypt\$3 near3 some) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:19
S88	0	(watermark same encrypt\$3 near3 some) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:20
S89	582	(encrypt\$3 near3 (some certain)) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:20
S91	16	((encrypt\$3 near3 (some certain))). ab. and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:20
S92	587	(encrypt\$3 with pattern) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:24
S93	807	(encrypt\$3 with pattern\$1) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:41
S94	32	(encrypt\$3 with pattern\$1 same watermark\$3) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/07 20:24
S10 2	345	(380/239.ccls. 380/4.ccls. 713/193.ccls.) and (only near4 encrypt\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 22:53
S10 3	4	(encrypt\$3 near4 (unencrypt\$ non adj1 encrypt\$ nonencrypt\$3)) near4 pattern\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:03

S10 4	2	(encrypt\$3 near4 (unencrypt\$ non adj1 encrypt\$ nonencrypt\$3)) near4 ratio	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:32
S10 5	8	"5737286" and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:19
S10 6	0	"sector is encrypted out of every few " and "6580682".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:20
S10 7	1	sector with encrypted with every adj few and "6580682".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:28
S10 9	0	wirtz and holstlaan	EPO	OR	OFF	2005/01/08 16:31
S11 1	2	marking with video and wirtz	EPO; DERWENT	OR	OFF	2005/01/08 16:32
S11 2	1	(encrypt\$3 near4 (unencrypt\$ non adj1 encrypt\$ nonencrypt\$3)) near4 (ratio pattern\$1) not (S103 S104)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 16:33
S11 3	7	"5940134" and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 16:34
S11 4	219	(380/239.ccls. 380/4.ccls. 713/193. ccls.) and (only near2 encrypt\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:36
S11 5	141	(380/239.ccls. 380/4.ccls. 713/193. ccls.) and (only near2 encrypt\$3)and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:41
S11 6	1	"20030165102".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 16:41
S11 7	45	encryption adj pattern	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:39
S11 8	264	(pseudo adj1 random pseudo-random)adj2 noise with shift	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:41
S11 9	228	(pseudo adj1 random pseudo-random)adj2 noise with shift and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:43

S12 0	1	(380/239.ccls. 380/4.ccls. 713/193. ccls.) and (pseudo adj1 random pseudo-random)adj2 noise with shift and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:43
S12 1	0	(380/239.ccls. 380/4.ccls. 713/193. ccls.) and (pseudo adj1 random pseudo-random)adj2 noise with shift with scrambl\$3 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:43
S12 2	0	(pseudo adj1 random pseudo-random)adj2 noise with shift with scrambl\$3 and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:43
S12 3	10	(pseudo adj1 random pseudo-random)adj2 noise with shift same (scrambl\$3 watermark\$3) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:52
S12 4	0	(pseudo adj1 random pseudo-random)adj2 noise with shift same (scrambl\$3 and watermark\$3) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:52
S12 5	0	(pseudo adj1 random pseudo-random)adj2 noise with shift same (scrambl\$3 and protect\$) and (@ad<"20000510" or @rlad<"20000510" or @prad<"20000510")	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 17:54
S12 8	1	galois and field same shift adj register\$1 same bias\$2	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 22:15
S12 9	269	galois and field same shift adj register\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/08 22:15